



FUELSTAT[°]*one*

PROVIDES RAPID DETECTION OF MICROBIAL CONTAMINATION IN FUEL.



FUELSTAT® Result Lotte

WWW.CONIDIA.COM

LESTATO



TRIED AND TRUSTED GLOBALLY.

Unique innovative solution leads to huge growth of FUELSTAT®





MICROBIAL CONTAMINATION IN FUEL

If you're a user or supplier of jet or diesel fuels, contamination can pose a serious threat to your business.

Microbial contamination, in particular, is almost always present in fuels to some degree. Left unchecked for too long, it can do serious harm to engines and tanks, and even cause leaks and environmental damage. Diesel "bug" microbial contamination creates a slime called a biofilm or biomass that can induce several issues. If left for a prolonged period of time without treatment, it can cause:

- Blocked filters
- Increased injector wear
- Increased fuel consumption
- Fuel starvation
- Less efficient engine operation
- Engine failures
- Corrosion and tank leakage

HOW DO YOU MANAGE THE RISKS OF FUEL CONTAMINATION?



A single case of fuel contamination, if left unchecked, can easily cost hundreds of thousands of pounds/dollars in damages and remedial activities. Basic fuel maintenance, in comparison, costs relatively little—so it makes good business sense to do these activities. To minimise the risks, there are three key activities you need to do:


- Remove water from tanks
- Manage your fuel supply chain
- Test for fuel contamination regularly...





- The ultra-simple test that just requires *4 drops* of extracted sample
- **Quantitative** result in **30 mins** as opposed to 4-7 days!
- 'Test at the tank' technology
 no laboratory required
- No requirement for additional equipment or sterility measures

In critical times, you need a fast, convenient testing method - one that doesn't require multiple people to complete the process. Using FUELSTAT®, a single person can conduct tests at the tank after minimal training from our instructional videos. The FUELSTAT® *One* test is based on protein-ligand complex formation, targeting a mix of carbohydrates from a broad range of micro-organisms found in fuels, in a simple, rapid lateral flow test. Just as a Covid-19 lateral flow test searches for markers of Covid-19 infection, FUELSTAT® *One* searches for the markers of bacteria and fungi that can grow in jet and diesel fuel and can potentially cause both operational downtime, corrosion and in worse case safety issues.



ASTM D6469 Standard Guide for Microbial Contamination in Fuels and Fuel Systems:

- "Test samples within 4h-24h": FUELSTAT enables testing in 30 minutes
- "Samples must be transported on ice to offsite laboratories":
 'Test at the tank' technology, so no special transport requirements





FUELSTAT^{*Ř*}*esult*

FUELSTAT[®] comes with a FREE App that scans the result instantly after the test has been completed. Use it with your test kit today for:

- ✓ Sampling guidelines
- ✓ Step-by-step video test instructions
- ✓ Instant test result verification
- Print or email PDF test certificate
- ✓ Storage of past results

FUELSTAT[®]*Port*



Registered User:	Joe Bloggs	Address:	Bakeham Lane
Company name:	ABC Company Ltd	Desta set of	Egham
Customer reference:	101	Post code:	
		Country:	United Kingdom
EST DATA			
Fuel Type:	Diesel or other middle	FUELSTAT result #:	18,278
	distillate fuel	FUELSTAT Test Lot #:	L2400
	Free water phase sample	Test date:	05-NOV-2020
	No entry by tester	Printout date:	05-NOV-2020
	No entry by tester	Phone make:	OnePlus
	No entry by tester	Phone model #:	ONEPLUS A6013
	No entry by tester 25°15'14.2"N	App version:	
	25 15 14.2 N 55*22'52.5"E	Portal version:	1.3.3
EST RESULT CONTAMINA	TION ALERT LEVEL	NOTES	
OVERALL RESULT	NEGLIGIBLE CONTAMINATION		
Relative carbohydrate	CONTAMINATION		
concentration in the	XX ng/mL		
sample:			
ISCLAIMER		CONTACT	
ILIEI STATIR Result app is des	igned for use with FUELSTAT®	Full terms of use available or	n the website: www.conidia.com
ateral flow tests. Readings of	btained using the FUELSTAT® the make and model of phone /		telephone: +44 (0)1491 829102
device used and their correct (operation. The accuracy of this ton the accuracy of the sample		
provided.			

Registered company users of the app have additional access to a web portal

that gives a full history of all tests conducted by engineers on their assets around the globe. PDF test reports can be generated and results exported into Excel format for further trend analysis

	and the second s				
View I	result				
Seat Kit	FUELSTAT One	Understanding your results			
fuel type:	Desel or other middle distillate fuel	By optical analysis of the interview, PUELSTAT® Result produces a ratio based on the actual accers of the FUELSTAT® One test window, calculated by divating the Test Line Score by the Control Line Score. The Actual			
Sample Type:	fuel phase sample	Score Ratio is ce	Score Ratio is calibrated to each production batch to give a relative carbonyclase concernation in the service, exercised is notifi. This value is then matched to a calibrated contamination curve to give an Alert Level for the		
Capture Deter	Reb. 14, 2024, 11:41 n.m.	ranges of lengigible. Moderner and Henry Contamination. Note Readings obtained using the FUELSTATE length type are dependent on the make and model of phone / devias well are instruct once recommends. The recommend of this report may also be dependent on the accuracy of the			
Device:	sampling SNP-C1818				
Corgany News	Conidia	sample provided.			
Registered User:	Conside Life User	-			
Tentor Name:	040401	-	ineps ca	pruved for the text window showing Control Line on left and Text Line on right	
Location Site:	INU MPIC	Test Line Score:	3.61	(The insensity of the Test Line on the right)	
Anost Identity:	MSHOAR	Control Line Score:	28.23	(The intensity of the Control Line on the latt)	
Tank Reference:	FEED IT	Achael Score Rasie	0.127	(A radio of the Text Line Score / Centrol Line Score)	
FUELETAT Test Lot 4	AZDIZ				
Comments	Data not supplied	Relative catbodydate concentration in the sample: XDroghit,			
beatreat	NEGLICIPLE		Ange		
	BOIT USER ENTRY HELDS	Tata for one			
1	ANDRIVE THIS RESULT	nara na 900		ICDEF analysis only points are used by app developers to assess the test line positions in each	

Download the app by scanning the QR code with your device

- The easy to use app that gives immediate visual verification of result
- Reduces risk of misinterpretation
- No need for additional equipment other than a smartphone
- Fully detailed report can be instantly produced in PDF format







THE FUELSTAT[®] SOLUTION AS SIMPLE AS 1-2-3



FUELSTATÖne

- Accurate quantitative results anywhere, carried out by anyone, and learned in minutes
- Immediate decisions can be made without delay

FUELSTATC

FUELSTAT One Lot: L2400

• Results within 30 minutes

FUELSTAT[®]*Result*

- Reduces risk of misinterpretation
- Immediate visual verification of result
- No need for additional equipment other than a smartphone



FUELSTAT^{*}*Report*

- Traceability of testing
- Identification of hotspots for planning
- Proof of test, proof of result, proof of method



3



WHAT'S IN THE TEST KIT?

Each boxed test kit contains:

- Foil Packed Test Cassette
 - Sample Extraction Bottle
 - Syringe & Extraction Tube

ONTAMINATION

Boxes of 8 test kits

- Instruction Leaflet
 - Blue Nitrile Gloves

Single boxed test kit

Single boxed test kit

Boxes of 8 test kits

fuel phase test WITH FUEL TO LIN

FUELSTATOne Test Bottle

te water phase test RINGE TO ADD 1ml WATE

思烈員

FUELSTAT One

UELSTAT

FUELSTATione

FUELSTAT



DOWNLOAD FREE FUELSTAT® RESULT APP

FUELSTA

FUELSTATION

Test kits are available either boxed singly, or in boxes of 8 to suit your fuel type

Aviation / Jet Fuels	Diesel / Middle Distillate Fuels
HR-3-011B	MD-3-011B
FHR8-3	FMD8-3



FUELSTAT®

Who we are:

FUELSTAT[®] fuel tests are developed, manufactured and marketed by Conidia Bioscience Ltd. Based in UK, Conidia Bioscience was founded in the early 2000's by experts in immunoassay techniques and holds the internationally patented intellectual property for FUELSTAT[®].

Where to find us:

FUELSTAT[®] is distributed globally by a network of specialist distributors covering the major sectors. To arrange for a distributor to support you simply contact info@conidia.com.



HEADQUARTERS & GLOBAL SALES OFFICE

Conidia Bioscience Ltd Unit 6 Surrey Technology Centre, 40 Occam Road, Guildford, Surrey, GU2 7YG, UK +44 (0)1491 829102 info@conidia.com

Conidia Bioscience

WWW.CONIDIA.COM

US SALES OFFICE

Conidia Bioscience Inc 15 Briarwood Ln, Dover, NH, 03820, USA +1 844 438 3578 info@conidia.com